AGRICULTURAI TIRES



RANGE OF STARMAXX

AGRICULTURAL TIRES

DESCRIPTION

- * For load capacity and inflation pressure figures on different speed rates, please consult the producer company.
- ** Load capacity on standard speed and standard load.
- Our company is entitled to change any information in this catalogue without prior notice.
- This catalogue overrides any previous catalogues
- All figures are for reference; our company cannot be deemed responsible for printing errors.
- *** The visual content of the catalogue is only representative. To find the compatible tire for your car, please refer to the car service or authorized dealer.

RANGE OF STARMAXX AGRICULTURAL TIRES

TRACTOR FRONT





TRACTOR RADIAL







FORESTRY-FLOTATION









TR10 The best tire solution for sustainable farming and productivity





Ideal 2WD tractor front tire with special 3Rib design.

- The rib design provides ultimate steering performance during soil tillage operations and on soft and cultivated areas.
- Specially formulated tread compound and all steel carcass structure offer longevity.
- Flexible carcass structure prevents sinking.
- Special tread design provides efficient self-cleaning feature.



6.00-16	6PR	TT	88/A6
7.50-16	8PR	TT	103/A6
9.00-16	8PR	TT	111/A6
10.00-16	8PR	TT	114/A6
11.00-16	8PR	TT	118/A6



Front tire for 2WD tractors suitable to be used on field and short distance road operations.

- Solid tread center structure and strong nylon carcass enhances durability.
- Durable shoulders protect the tire effectively by increasing its resistance to any kind of damage.
- The strong and flexible carcass structure that prevents sinking into the soil also ensures long life.



6.00-16	6PR	TT	88/A6
6.00-16	10PR	TT	98/A6
6.50-16	6PR	TT	91/A6
6.50-16	8PR	TT	97/A6
7.50-16	8PR	TT	103/A6





Front tire for 2WD tractors suitable to be used on field and short distance road operations.

- Improved tread compound enables high resistance against wears and cuts.
- Strong center and shoulder design provides high resistance to side impacts and tread base fatigue.
- Tread pattern and flexible carcass structure provide excellent maneuverability without sinking into the soil.
- Special tread geometry provides easy steering.







6.00 -16	6PR	TT	88/A6
7.50-16	6PR	TT	98/A6
7.50- 16	8PR	TT	103/A6





Ideal 2WD tractor front tire with special 3Rib design.

- The rib design provides ultimate steering performance during soil tillage operations and on soft and cultivated areas.
- Specially formulated tread compound and all steel carcass structure offer longevity.
- Flexible carcass structure prevents sinking into the soil.
- Special tread design provides efficient self-cleaning feature.



SIZE

10.00 -16 8PR TT 114/A6





Front tire for 2WD tractors appropriate for using on field and short distance road operations.

- Offers long life thanks to its wear-resistant tread compound.
- Durable shoulders protect the tire effectively by increasing its resistance to any kind of damage.
- Special tread design keeps the tread free of mud.







6.00-16 6PR TT 88/A6 6.50-16 6PR TT 91/A6 6.50-16 8PR TT 97/A6 7.50-16 6PR TT 98/A6 7.50-16 8PR TT 103/A6 6.00-19 6PR TT 93/A6 6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6				
6.50-16 6PR TT 91/A6 6.50-16 8PR TT 97/A6 7.50-16 6PR TT 98/A6 7.50-16 8PR TT 103/A6 6.00-19 6PR TT 93/A6 6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6	5.50-16	6PR	TT	86/A6
6.50-16 8PR TT 97/A6 7.50-16 6PR TT 98/A6 7.50-16 8PR TT 103/A6 6.00-19 6PR TT 93/A6 6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6	6.00-16	6PR	TT	88/A6
7.50-16 6PR TT 98/A6 7.50-16 8PR TT 103/A6 6.00-19 6PR TT 93/A6 6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6	6.50-16	6PR	TT	91/A6
7.50-16 8PR TT 103/A6 6.00-19 6PR TT 93/A6 6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6	6.50-16	8PR	TT	97/A6
6.00-19 6PR TT 93/A6 6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6	7.50-16	6PR	TT	98/A6
6.50-20 8PR TT 108/A6 6.50-20 10PR TT 115/A6	7.50-16	8PR	TT	103/A6
6.50-20 10PR TT 115/A6	6.00-19	6PR	TT	93/A6
	6.50-20	8PR	TT	108/A6
7.50-20 8PR TT 108/A6	6.50-20	10PR	TT	115/A6
	7.50-20	8PR	TT	108/A6



Front tire for 2WD tractors suitable to be used on field and short distance road operations.

- Improved tread compound enables high resistance against wears and cuts.
- Strong center and shoulder design improve durability towards side impacts and tread base fatigue.
- Tread pattern and flexible carcass structure provide excellent maneuverability without sinking into the soil.
- Special tread geometry provides easy steering.







6.50-16	6PR	TT	91/A6
6.50-16	8PR	TT	97/A6
7.50-18	8PR	TT	106/A6
7.50-20	8PR	TT	108/A6





SIZE

R1 tractor front tire for medium and low powered tractors.

- Wide and strong body provides easy grip and high traction.
- Tread profile provides outstanding durability to tread base fatigue.
- Highly resistant to cuts and wears.
- Offers effective self-cleaning feature and grip performance during tillage operations by its special tread geometry.



6.5/80-12 6PR TT/TL 80/A6





High traction R1 tractor front tire for medium and low powered tractors.

- Offers long service life thanks to its wear resistant tread compound.
- Tread profile enables high resistance to tread base fatigue.
- The wide and long lugs provide comfortable drive while improving grip performance.
- Wide and strong body ensures ultimate grip and high traction.
- Special tread geometry offers efficient self-cleaning feature.







5.00-10	4PR	TT	70/58A6
5.00-12	4PR	TT	62/A6
6.5/80-12	6PR	TT	80/A6
7.00-12	6PR	TT	83/A6
10.0/80-12	6PR	TT/TL	98/A6
5.00-15	6PR	TT	88/A6
10.0/75-15.3	12PR	TT	114/A6
11.5/80-15.3	12PR	TT/TL	123/A6
6.00-16	6PR	TT	88/A6
6.50-16	6PR	TT	91/A6
7.50-16	8PR	TT	103/A6
7.00-18	8PR	TT	106/A6
7.50-18	8PR	TT	106/A6
7.50-20	8PR	TT	143/A6
9.50-20	8PR	TT	107/A6





High traction R1 tractor rear tire for medium and low powered tractors.

- The wide and long lugs provide comfortable drive while improving grip performance.
- Offers long service life thanks to its wear resistant tread compound.
- Wide and strong body provides ultimate grip and high traction.
- Tread profile enables high resistance to tread base fatigue.
- Special tread geometry provides efficient self-cleaning feature.







8.3-24	8PR	TT	108/A6
9.5-24	8PR	TT	112/A6
11.2-24	8PR	TT	116/A6
12.4-24	6PR	TT	115/A6
12.4-24	8PR	TT	120/A6
12.4-24	12PR	TT	128/A6
13.6-24	8PR	TT	123/A6
14.9-24	4PR	TL/TT	112/A6
14.9-24	6PR	TT	123/A6
14.9-24	8PR	TT	128/A6
14.9-24	10PR	TT	134/A6
14.9-24	14PR	TT	142/A6
18.4-26	14PR	TT	149/A6
18.4-26	12PR	TT/TL	146/A6
11.2-28	8PR	TT	118/A6
12.4-28	6PR	TT	117/A6
12.4-28	8PR	TT	122/A6
13.6-28	6PR	TT	121/A6
13.6-28	8PR	TT	125/A6
14.9-28	6PR	TT	125/A6
14.9-28	8PR	TT	130/A6
16.9-28	8PR	TT	135/A6
16.9-28	10PR	TT	139/A6
16.9-28	12PR	TT	139/A
14.9-30	8PR	TT	131/A6
14.9-30	10PR	TT	135/A6
16.9-30	6PR	TT	130/A6
16.9-30	8PR	TT	137/A6
16.9-30	10PR	TT	139/A6
16.9-30	12PR	TT	143/A6

16.9-30	14PR	TT	144/A6
18.4-30	6PR	TT	134/A6
18.4-30	8PR	TT	139/A6
18.4-30	10PR	TT	145/A6
18.4-30	12PR	TT	149/A6
18.4-30	14PR	TT	151/A6
12.4-32	8PR	TT	124/A6
16.9-34	8PR	TT	139/A6
16.9-34	10PR	TT	142/A6
16.9-34	12PR	TT	145/A6
16.9-34	14PR	TT	148/A6
18.4-34	8PR	TT	141/A6
18.4-34	10PR	TT	146/A6
18.4-34	12PR	TT	151/A6
18.4-34	14PR	TT	156/A6
12.4-36	8PR	TT	126/A6
12.4-36	14PR	TT	139/A6
13.6-36	6PR	TT	125/A6
13.6-36	8PR	TT	129/A6
13.6-38	8PR	TT	131/A6
13.6-38	14PR	TT	142/A6
14.00-38	8PR	TT	131/A6
14.00-38	10PR	TT	136/A6
15.5-38	8PR	TT	133/A6
15.5-38	10PR	TT	138/A6
15.5-38	12PR	TT	142/A6
16.9-38	8PR	TT	141/A6
16.9-38	10PR	TT	144/A6
18.4-38	8PR	TT	143/A6
18.4-38	10PR	TT	147/A6



Tractor rear tire for field operations.

- Strong nylon carcass structure provides optimum durability.
- Resistant to cuts and wears thanks to its special compound.
- High lugs provide excellent traction at all operating conditions.
- Offers safe handling on steep or hilly grounds.





12.4-11-28	6PR	TT	117/A6
12.4-11-28	8PR	TT	122/A6
16.9-14-30	8PR	TT	137/A6
16.9-14-30	10PR	TT	139/A6
16.9/14-30	12PR	TT	144/A6





R1 tractor rear tire.

- Special lug design provides maximum traction while simultaneously offering excellent self-cleaning feature.
- Strong nylon carcass structure provides optimum durability.
- Open center pattern ensures high resistance to tread base fatigue.
- Resistant to cuts and wears thanks to its special compound.
- Ensures handling stability on steep or hilly grounds.







9.5-24	8PR	TT	112/A6
11.2-24	8PR	TT	116/A6
12.4-24	8PR	TT	120/A6
12.4-24	10PR	TT	124/A6
13.6-24	8PR	TT	123/A6
14.9-24	8PR	TT	128/A6
12.4-28	8PR	TT	122/A6
13.6-28	8PR	TT	125/A6
14.9-28	8PR	TT	130/A6
14.9-30	8PR	TT	131/A6
16.9-30	8PR	TT	137/A6
16.9-30	10PR	TT	139/A6
18.4-30	8PR	TT	139/A6
18.4-30	10PR	TT	145/A6
18.4-30	12PR	TT	149/A6
18.4-30	14PR	TT	151/A6
16.9-34	8PR	TT	139/A6
18.4-34	8PR	TT	141/A6
12.4-36	8PR	TT	126/A6
13.6-36	8PR	TT	129/A6
16.9-38	8PR	TT	141/A6



R1 tractor rear tire.

- Provides superior performance on tough terrains with its specially designed tread pattern.
- The unique lug design prevents any kind of crop damage and provides easy cleaning feature during field operations.
- Wide and reinforced body provides perfect grip, high traction and reduced slippage.
- Exceptional carcass structure provides optimum durability.
- Tread profile with extra wide tread base ensures perfect resistance to tread base fatigue.







20 51 20	1000	TI	150/40
30.5L-32	12PR	TL	158/A8
30.5L-32	18PR	TL	170/A6





General purpose R1W tractor radial tire.

- Wider footprint offers lower soil compaction.
- Special structure improves flotation on soft terrains and ensures a comfortable ride at all operating conditions.
- Low rolling resistance leads to maximum fuel efficiency.
- Unique tread design provides exceptional traction and ensures maximum performance.
- Special tread compound provides high level of resistance against wear and cuts.
- Tread profile enhances durability to tread base fatigue.
- Offers excellent self-cleaning feature.







ALL SIZES

TR-110/85 SERIES

9.5 R20	TL	108 A8/105 B
280/85 R20	TL	112 A8/109 B
320/85 R20	TL	119 A8/116 B
9.5 R24	TL	107 A8/104 B
280/85 R24	TL	115 A8/112 B
320/85 R24	TL	122 A8/119 B
340/85 R24	TL	125 A8/122 B
380/85 R24	TL	131 A8/128 B
420/85 R24	TL	137 A8/134 B
280/85 R28	TL	118 A8/115 B
320/85 R28	TL	124 A8/121 B
340/85 R28	TL	127 A8/124 B
380/85 R28	TL	133 A8/130 B
420/85 R28	TL	139 A8/136 B
380/85 R30	TL	135 A8/132 B
420/85 R30	TL	140 A8/137 B
460/85 R30	TL	145 A8/142 B
320/85 R32	TL	126 A8/126 B
380/85 R34	TL	137 A8/137 B
420/85 R34	TL	142 A8/139 B
460/85 R34	TL	147 A8/144 B
320/85 R36	TL	128 A8/125 B
340/85 R36	TL	132 A8/129 B
320/85 R38	TL	143 A8/143 B
340/85 R38	TL	133 A8/130 B
380/85 R38	TL	139 A8/136 B
420/85 R38	TL	144 A8/141 B
460/85 R38	TL	149 A8/146 B
460/85 R38 RF	TL	149 A8/146 B
520/85 R38	TL	155 A8/152 B
520/85 R38 RF	TL	155 A8/152 B
650/85 R38	TL	173 A8/173 B
520/85 R42	TL	157 A8/157 B
520/85 R42 RF	TL	162 A8/162 B
520/85 R46	TL	158 A8/155 B

TA 110/80 SERIES

260/80 R20	TL	106 A8/103 B
480/80 R38	TL	149 A8/149 B
480/80 R42	TL	151 A8/151 B
480/80 R46	TL	158 A8/158 B
480/80 R50	TL	159 A8/159 B

TA 110/70 SERIES

200/70 R16	TL	94 A8/94 B
240/70 R16	TL	104 A8/101 B
260/70 R16	TL	109 A8/106 B
280/70 R16	TL	112 A8/112 B
280/70 R18	TL	114 A8/114 B
260/70 R20	TL	113 A8/113 B
280/70 R20	TL	116 A8/116 B
300/70 R20	TL	110 A8/110 B
320/70 R20	TL	113 A8/113 B
360/70 R20	TL	120 A8/117 B
380/70 R20	TL	132 A8/132 B
320/70 R24	TL	116 A8/113 B
360/70 R24	TL	122 A8/119 B
380/70 R24	TL	125 A8/125 B
420/70 R24	TL	130 A8/127 B
480/70 R24	TL	138 A8/135 B
480/70 R26	TL	139 A8/136 B
320/70 R28	TL	119 A8/116 B
360/70 R28	TL	125 A8/122 B
380/70 R28	TL	127 A8/127 B
420/70 R28	TL	133 A8/133 B
480/70 R28	TL	140 A8/140 B
420/70 R30	TL	134 A8/131 B
480/70 R30	TL	141 A8/138 B
520/70 R30	TL	145 A8/142 B
480/70 R34	TL	143 A8/140 B
520/70 R34	TL	148 A8/145 B
480/70 R38	TL	145 A8/142 B
520/70 R38	TL	150 A8/147 B
580/70 R38	TL	155 A8/152 B
580/70 R42	TL	158 A8/158 B

TA 110/65 SERIES

420/65 R24	TL	126 D/126 B
440/65 R24	TL	128 D/131 A8
440/65 R24	TL	135 D/138 A8
480/65 R24	TL	133 D/136 A8
480/65 R24	TL	140 D/143 A8
540/65 R24	TL	140 D/143 A8
440/65 R28	TL	131 D/134 A8
440/65 R28	TL	138 D/141 A8
480/65 R28	TL	136 D/139 A8
480/65 R28	TL	142 D/145 A8
540/65 R24	TL	146 D/149 A8
540/65 R28	TL	149 D/152 A8
540/65 R30	TL	150 D/153 A8
540/65 R34	TL	145 D/148 A8
540/65 R34	TL	152 D/155 A8
600/65 R34	TL	151 D/154 A8
540/65 R38	TL	147 D/150 A8
540/65 R38	TL	153 D/156 A8
600/65 R34	TL	157 D/160 A8
600/65 R38	TL	159 D/162 A8
650/65 R38	TL	163 D/166 A8



General purpose R1W row crop tractor and sprayer tire.



- Narrow profile protects the crop from damages.
- Robust carcass structure enables maximum performance under heavy loads.
- Deep lugs and special tread compound ensure longevity.
- Special tread compound provides high resistance against wear and cuts.
- Tread design enhances self-cleaning capability and reduces slippage.



ALL SIZES

TR-120/95-90-85 SERIES

210/95R 32 (8.3R 32)	TL	114 A8/114 B
210/95R 32 (8.3R 32)	TL	120 A8/120 B
230/95R 32 (9.5R 32)	TL	126 A8/126 B
270/95R 32 (11.2R 32)	TL	136 A8/136 B
210/95R 36 (8.3R 36)	TL	116 A8/116 B
230/95R 36 (9.5R 36)	TL	128 A8/128 B
270/95R 38 (11.2R 38)	TL	140 A8/140 B
230/95R 40 (9,5R 40)	TL	122 A8/122 B
210/95R 44 (8.3R 44)	TL	120 A8/120 B
230/95R 44 (9.5R 44)	TL	132 A8/132 B
270/95R 44 (11.2R 44)	TL	142 A8/142 B
300/95R 46 (12.4R 46)	TL	148 A8/148 B
230/95R 48 (9.5R 48)	TL	136 A2/125 A8
270/95R 48 (11.2R 48)	TL	144 A8/144 B
300/95R 52 (12.4R 52)	TL	156 D/159 A8
270/95R 54 (11.2R 54)	TL	157 A2/146 A8
380/90R 46 (14.9R 46)	TL	159 D/162 A8
340/85R 48 (13.6R 48)	TL	151 D/154 A8

R1W tire for high power tractors.



- Designed to transfer torque power to the ground effectively on any terrain.
- Special tread geometry reduces slippage by improving traction which in turn, leads to significant fuel savings.
- Wider footprint and optimized lug angle contributes to crop productivity by minimizing soil compaction.
- Elastic structure absorbs impacts and demonstrates better flotation.
- Strong carcass and high-quality tread compound ensure longer service life and enable maximum performance under heavy loads.
- Provides driving comfort both on the road and the field.







ALL SIZES

TR-130/70-65 SERIES

TL	161 D
TL	158 D
TL	160 D
TL	171 D/174 A8
TL	178 D/181 A8
TL	166 D
TL	173 D/176 A8
TL TL	173 D/176 A8 154 D/157 A8
	TL TL TL



TR-130 IF Series



R1W tire for high power tractors.

- Demonstrates superior performance under heavy loads with lower pressure compared to traditional radial tires.
- Lower inflation pressure and sidewall flexibility improves driving comfort.
- Special tread design provides exceptional traction.
- Highly flexible sidewalls and large footprint offer lower soil compaction.
- Elastic structure effectively protects the tire by absorbing impacts.
- Strong carcass and special tread compound ensure longer service life.







ALL SIZES

TR-130/70-IF SERIES

IF 600/70R 30	TL	165 D
IF 800/70R 38	TL	184 D

IF: Improved Flexion



General purpose R1W tractor front and rear tire.

- Offers durability for a wide spectrum of applications.
- Special tread compound offers longevity by improving the tire's resistance against wear and cuts.
- Wide footprint leads to lower soil compaction.
- Prevents slipping on all terrains and thus, contributes to steering balance.
- Elastic structure prevents sinking into the soil and protects the tire by absorbing impacts effectively.







SIZE

TR-140/85 SERIES

340/85R 28 (13.6R 28) TL 127 A8/124 B



HST-70 VF

Multipurpose VF (Very High Flexion) all steel radial tire designed hold up to heavier loads.



- Thanks to VF (Very High Flexion) technology, carries more load with equal pressure levels and same load with less pressure when compared to conventional
- Tread compound provides resistance to cuts and wears on asphalt, hard soil and concrete roads.
- Wide footprint provides lower compaction.
- Protects crops effectively with the help of its high flexion feature.
- Special carcass structure offers high endurance against stubble impacts and fissures.



SIZE

VF 285/70R 19.5 16PR 150/D

A

VF: Very High Flexion



SM-160

The ideal trailer tire for high load capacity with minimum soil compaction.



- Offers high loading capacity with minimum soil compaction thanks to special three-rib tread design.
- Reinforced carcass structure ensures longevity by improving resistance against cuts and wears.
- Offers excellent self-cleaning features.



SIZE

7.50-16 10PR TT 116/A6



SM-270



Traction type trailer tire with high resistance.

- Reinforced sidewalls provide durability and protect the tire from side impacts.
- Special tread depth and geometry offers high resistance to cuts and tread wear.
- Offers high load capacity and outstanding self cleaning feature.



SIZE

7.50-16 12PR TT 121/A6





Traction type trailer tire with high resistance.

- Special tread and carcass structure offers high load capacity.
- Wide and deeper tread design provides high resistance against cuts and tread fatigue.







9.00-16	8PR	TT	118/A6
9.00-16	12PR	TT/TL	125/A6
9.00-16	14PR	TT	128/A6
9.00-16	16PR	TT	131/A6
11.5/80-15.3	16PR	TL	141/A8





Traction type trailer tire.

- Suitable for short period transport along with field use.
- Special tread and carcass structure offer high load capacity.
- Offers high resistance against lug fatigue and tread wear thanks to its specially developed tread compound and geometry.



SIZE

8.25-20 14PR TT 133/A6





Traction type trailer tire.

- Special tread and carcass structure offers high load capacity.
- Flexible carcass structure prevents sinking into the soil while protecting the tire by absorbing side impacts.
- Offers high resistance against lug fatigue and tread wear thanks to its specially developed tread compound and geometry.



SIZE

9.00-20 14PR TT 133/A6



Flexible and durable trailer tire.



- Special tread and carcass structure offers high load capacity on soft surfaces.
- Offers high resistance against cuts and stubble puncture thanks to its specially developed tread compound and geometry.
- Flexible carcass structure prevents sinking into the soil while protecting the tire by absorbing impacts.







9.00-16	12PR	TT	125/A6
9.00-16	14PR	TT	128/A6
9.00-16	16PR	TT	131/A6

Free rolling tire designed to use on agricultural trailers and balers.



- Delivers outstanding durability feature even under low air pressure and heavy load with its strong carcass structure.
- Protect crops with low soil compaction feature.
- Offers excellent flotation as rounded shoulders and wider base spread load on the surface.
- Enables driving comfort and fuel efficiency.
- Delivers excellent self-cleaning capability thanks to its wide groov es.







ALL SIZES

500/50-17	14PR	TL	149/A8 (FRA)	137/A8 (SA)
500/50-17	16PR	TL	152/A8 (FRA)	139/A8 (SA)
500/50-17	18PR	TL	157/A8 (FRA)	145/A8 (SA)

FRA: FreeR olling Axle SA: Steer Axle





Trailer tire.

- Stable central tread section with open shoulder design enhances comfort and improves longevity.
- Low rolling resistance leads to maximum efficiency in fuel consumption.
- Strong sidewall construction and durable bead structure provides excellent protection against all kinds of damage.
- Offers excellent floatation and selfcleaning features.







16.0/70-20	14PR	TL	154 A8/142 A8
400/70-20	14PR	TL	154 A8/142 A8



Modern harvester and trailer tire.

- Demonstrates low dynamic rotating resistance thanks to its 5 Rib design.
- Suitable for short period transport and field use.
- Wide base area prevents slides to sides and sinking into the soil.
- Special tread design and structure ensures high resistance against cuts and wears.



ALL SIZES

10.0/75-15.3	10PR	TT / TL	123/A8
10.0/75-15.3 RF	12PR	TL	126/A8
10.0/75-15.3	14PR	TL	130/A8
11.5/80-15.3	12PR	TT/ TL	135/A8
11.5/80-15.3 RF	12PR	TT/ TL	135/A8
11.5/80-15.3	14PR	TT/ TL	139/A8
12.5/80-15.3	12PR	TL	139/A8
12.5/80-15.3	16PR	TL	144/A8
400/60-15.5	14PR	TL	145/A8
400/60-15.5	16PR	TL	147/A8
10.5/65-16	10PR	TT	123/A8
340/55-16	12PR	TL	140/A8
15.0/55-17	14PR	TL	137/A8
19.0/45-17	12PR	TL	141/A8
500/50-17	10PR	TL	143/A8
500/50-17	14PR	TL	149/A8
10.5/80-18	12PR	TT	137/A8
10.5/80-18	14PR	TT	142/A8
12.5/80-18	14PR	TT	146/A8
13.0/65-18	14PR	TT	141/A8





General purpose trailer tire.

- Provides high traction and leads to less soil compaction with its wide base area.
- Ensures perfect balance on soft terrains by preventing slide to sides.
- Offers resistance against cuts and wear with specially designed tread geometry.
- Special tread and carcass structure offers high load capacity.







ALL SIZES

10.0/80-12	10PR	TT/TL	122/A8
260/70-15.3	12PR	TL	126/A8
10.0/75-15.3	10PR	TT/TL	123/A8
10.0/75-15.3	12PR	TL	126/A8
10.0/75-15.3 RF	12PR	TL	126/A8
11.5/80-15.3 RF	12PR	TL	137/A8
12.5/80-15.3 RF	12PR	TL	141/A8
12.5/80-15.3	14PR	TL	142/A8
12.5/80-15.3	16PR	TL	144/A8



General purpose trailer tire.

- Special tread and carcass structure offers high load capacity.
- Minimizes soil compaction with its wide base area, providing high traction on soft terrains.
- Ensures perfect balance on soft surfaces by preventing slides to sides.
- Offers high resistance against cuts and tread wear with unique tread geometry.







ALL SIZES

10.0/80-12	10PR	TT/TL	122/A8
10.0/80-12 RF	10PR	TT/TL	122/A8





Trailer tire designed for free rolling axle.

- Special Low Section Height profile design ensures high performance.
- Wide tread design provides high flotation capability.
- Offers heavy load capacity and long service life with its durable carcass structure design.
- Special tread compound provides outstanding resistance against stubble punctures and cuts.



9.5L-14SL	8PR	TL	111/B
9.5L-15SL	8PR	TT/TL	112/B
9.5L-15SL	12PR	TL	121/B
11L-15SL	8PR	TL	113/B
11L-15SL	12PR	TL	121/B
12.5L-15SL	12PR	TL	127/B

SR-3



Trailer tire designed for free rolling axle.

- Special tread compound provides excellent resistance against stubble punctures and cuts.
- Durable carcass structure improves longevity.
- Ensures high performance with its Low Section Height profile design.
- Delivers high flotation capability thanks to its wide tread design.
- Special carcass design supports heavy load capacity.







SIZE

10.0/75-15.3 12PR TL 126/A8



TR-130 AGROVEST

Aramid Belted

R1W Harvester tire with aramid belted structure.



- Aramid belt technology provides extra protection against stubble damage and ground impacts compared to steel and fabric
- Reinforced bead structure ensures long life by improving the tire's endurance.
- Special tread design enables exceptional traction and better handling on the field.
- Wider footprint and optimized lug angle minimize soil compaction and avoid crop damage.
- Perfect performance under heavy loads with lower pressure compared to traditional radial tire construction.
- Elastic structure absorbs impacts and yields better flotation. Special tread compound offers high resistance against punctures.







ALL SIZES

TR-130/75-65 SERIES

620/75 R26 (23.1 R26)	TL	166 A8/163 B
620/75 R30 (23.1 R30)	TL	169 A8/169 B
620/75 R30 RF (23.1 R30 RF)	TL	169 A8/169 B
650/75 R32 (24.5 R32)	TL	172 A8/172 B
800/65 R32 (30.5 R32)	TL	178 A8/178 B

SB-140 AGROVEST

Modern radial harvester tire.



- Offers outstanding traction on hard and soft terrains.
- Low rolling resistance feature improves efficiency in fuel consumption.
- Strong construction not only improves the tire's endurance, but also provides excellent performance.
- Offers high load capacity and minimum soil compaction.
- Special tread compound extends service life regardless of the softness or hardness of the ground.



SIZE

SB-140/70 SERIES

400/70 R20 TL 158/146 A8



IMP-70



Harvester rear and trailer tire.

- Stable central tread section with open shoulder design enhances comfort and improves longevity.
- Low rolling resistance leads to maximum efficiency in fuel consumption.
- Strong sidewall construction and durable bead structure provide excellent protection against all kinds of damage.
- Offers excellent flotation and selfcleaning features.







16.0/70-20	14PR	TL	154 A8/142 A8
400/70-20	14PR	TL	154 A8/142 A8

IMP-80



Modern harvester tire.

- Demonstrates low dynamic rotating resistance thanks to its 5 Rib design.
- Suitable for short period transport and field use.
- Wide tread contact area prevents slides to sides and sinking into the soil.
- Special tread design and structure ensures high resistance against cuts and wears.



SIZE

12.5/80-18	14PR	TT	146/A8
------------	------	----	--------



TR-90



Harvester tire.

- Offers maximum cost efficiency in terms of both field and road performance.
- Suitable for heavy duty operations without causing any damage to the crops.
- Offers outstanding comfort and excellent traction throughout its service life thanks to its aggressive lug design.
- Special tread compound and strong durable carcass structure provide high resistance against cuts and wears.
- Unique lug geometry keeps the tread pattern free from mud.







18.4-30	14PR	TT	151/A6
18.4-30	16PR	TT	153/A6

TR-95



Harvester tire.

- Strong carcass structure supports high load capacity.
- Unique lug design and geometry offer outstanding traction and self-cleaning features.
- Strong durable carcass structure and special tread compound improve resistance against cuts and wears.







23.1-26	12PR	TT	153/A6
23.1-26	14PR	TL	156/A6
23.1-26	18PR	TL	162/A6
23.1-30	12PR	TT	151/A6
23.1-30	14PR	TL	154/A6
23.1-30	18PR	TL	160/A6
20.8-38	14PR	TT/TL	159/A6



TR-330



R1 tire designed for harvester applications.

- Specially designed tread pattern provides superior traction with minimum soil compaction without causing any damage on the crops.
- Optimum lug frequency reduces vibration.
- Specially developed tread compound and lug geometry offer high resistance against lug fatigue and tread wear.
- Reinforced sidewalls enhances durability against cuts and impacts.
- Offers high load capacity.







30.5L-32	12PR	TL	158/A8
30.5L-32	18PR	TL	170/A6

SM-F18



General purpose flotation tire.

- Non-aggressive pattern is designed to ensure perfect balance with excellent grip on even the softest terrains and offer larger footprint to minimize soil compaction.
- Strong tread and shoulder structure enable high load capacity.
- Special sidewall compound protects the tire by effectively absorbing side impacts.







ALL SIZES

12.5/80-15.3	12PR	TL	141/A8
12.5/80-15.3 RF	16PR	TL	144/A8
400/60-15.5	14PR	TL	145/A8
400/60-15.5	16PR	TL	153 A6/149 A6
400/60-15.5	18PR	TL	155 A6/151 A6
500/60-22.5	16PR	TL	163 A8/159 B
550/60-22.5	16PR	TL	167 A8/163 B
600/50-22.5	16PR	TL	165 A8/161 B

RF: REINFORCED



SM-T18



General purpose forestry tire.

- Non-aggressive pattern designed to ensure perfect balance with excellent grip on even the softest terrains and offer larger footprint which to minimize soil compaction and protect the crops.
- Reinforced tread and shoulder compound along with durable carcass structure enable high load capacity and improve durability for tough forest conditions.
- Special sidewall compound protects the tire by effectively absorbing side impacts.







400/60-15.5	14PR	TL	145 A8
400/60-15.5	16PR	TL	153/149 A6
400/60-15.5	18PR	TL	155/151 A6
500/60-22.5	16PR	TL	163 A8/159 B
550/60-22.5	16PR	TL	167 A8/163 B
600/50-22.5	16PR	TL	165 A8/161 B

SM-T08



General purpose forestry tire.

- Absorbs side impacts with its special sidewall compound and grips the soil perfectly, preventing slides to sides.
- Non-aggressive pattern is designed to ensure perfect balance with excellent grip on even the softest terrains and offer larger footprint to minimize soil compaction.
- Strong tread and shoulder structure enable high load capacity.
- Reinforced sidewall compound improves resistance against side impacts.







500/60-22.5	10PR	TL	153/141 A8
500/60-22.5	16PR	TL	159/147 A8
550/60-22.5	16PR	TL	167/155 A8
600/50-22.5	16PR	TL	156/144 A8



2019 EDITION

Starmaxx Agricultural Tires are characterized by quality workmanship, leading edge technology, unique tread design and excellent performance, offering a mix of quality and value.

Our success depends on offering reliable products with an approach of excellence beyond expectations and supporting our customers by firmly standing behind our products and services.

Our aim is to build long term relationships with our customers by providing ultimate quality and excellent service to fulfill our promises.





Headquarters - Factory

Petlas Tire Industry and Trade Kındam Mahallesi Ankara - Kayseri Caddesi No: 2/1 Kırşehir / TURKEY T: +90 386 252 65 50 • F: +90 386 252 65 70

Int. Sales & Marketing

Petlas Tire Industry and Trade Ako Kule, Söğütözü Mh. 2178. Cad. No: 6 06530 Ankara / TURKEY T. +90 312 309 30 30 • F: +90 312 309 22 66

Petlas Tire USA

1111 E. Lincolnway STE 205 Cheyenne, WY 82001 USA

